

according to UK REACH Regulation

Page 1 of 12

Revision date: 06.03.2023

VBC 4M80

Print date: 13.03.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

VBC 4M80

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Adhesives, sealants

Uses advised against

Any non-intended use.

1.3. Details of the supplier of the safety data sheet

Company name: Meusburger Georg GmbH & Co KG

Street: Kesselstrasse 42
Place: A-6960 Wolfurt

Telephone: +43 5574 6706-0 Telefax: +43 5574 6706-12

e-mail: office@meusburger.com Internet: www.meusburger.com

Responsible Department: Dr. Gans-Eichler e-mail: info@tge-consult.de

Chemieberatung GmbH Tel.: +49 2534 41594-0
Otto-Hahn-Str. 36 www.tge-consult.de

D-48161 Muenster

1.4. Emergency telephone Poison Information Center Mainz, Germany, Tel: +49(0)6131/19240

number:

Further Information

Safety Data Sheet according to UK-REACH Regulation

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Skin Irrit. 2; H315 Eye Irrit. 2; H319 STOT SE 3; H335

Full text of hazard statements: see SECTION 16.

2.2. Label elements

GB CLP Regulation

Hazard components for labelling

ethyl 2-cyanoacrylate

Signal word: Warning

Pictograms:



Hazard statements

H315 Causes skin irritation.



according to UK REACH Regulation

Page 2 of 12

Print date: 13.03.2023 Revision date: 06.03.2023

VBC 4M80

H319 Causes serious eye irritation.H335 May cause respiratory irritation.

Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P312 Call a POISON CENTER/doctor if you feel unwell.
P337+P313 If eye irritation persists: Get medical advice/attention.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

Special labelling of certain mixtures

EUH202 Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the reach of

children.

2.3. Other hazards

High slip hazard because of leaking or spilled product.

The substances in the mixture (> 0.1%) do not meet the PBT/vPvB criteria according to UK REACH.

This product does not contain a substance (> 0.1 %) that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

| CAS No | Chemical name | Quantity |
|------------------|--|-----------|
| EC No | GHS Classification | |
| REACH No | | |
| Index No | | |
| | | |
| 7085-85-0 | ethyl 2-cyanoacrylate | 70 - 90 % |
| 230-391-5 | Skin Irrit. 2, Eye Irrit. 2, STOT SE 3; H315 H319 H335 | |
| 01-2119527766-29 | | |
| 607-236-00-9 | | |
| 123-31-9 | 1,4-dihydroxybenzene; hydroquinone; quinol | < 0.1 % |
| 204-617-8 | Carc. 2, Muta. 2, Acute Tox. 4, Eye Dam. 1, Skin Sens. 1, Aquatic Acute 1; H351 H341 H302 H318 H317 H400 | |
| 604-005-00-4 | | |

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

| - poemie | | | |
|-----------|---|--|-----------|
| CAS No | EC No | Chemical name | Quantity |
| | Specific Conc. I | imits, M-factors and ATE | |
| 7085-85-0 | 230-391-5 | ethyl 2-cyanoacrylate | 70 - 90 % |
| | dermal: LD50 = >2000 mg/kg; oral: LD50 = >5000 mg/kg STOT SE 3; H335: >= 10 - 100 | | |
| 123-31-9 | 204-617-8 | 1,4-dihydroxybenzene; hydroquinone; quinol | < 0.1 % |

 Revision No: 4,0
 GB - en
 Print date: 13.03.2023



according to UK REACH Regulation

Page 3 of 12

Print date: 13.03.2023 Revision date: 06.03.2023

VBC 4M80

oral: LD50 = 302 mg/kg Aquatic Acute 1; H400: M=10

Further Information

Product does not contain listed SVHC substances > 0.1 % according to UK REACH.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Cyanacrylate! Danger! Skin and eyelids will stick together in seconds. Keep out of the reach of children. Take off contaminated clothing and wash it before reuse.

After inhalation

Remove casualty to fresh air and keep warm and at rest. If breathing is irregular or stopped, administer artificial respiration. Where appropriate artificial ventilation. In case of respiratory tract irritation, consult a physician.

After contact with skin

Remove contaminated, saturated clothing immediately. After contact with skin, wash immediately with: Water and soap. In case of skin irritation, seek medical treatment. Do not peel solidified product off the skin.

After contact with eyes

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. In case of troubles or persistent symptoms, consult an ophthalmologist.

After ingestion

Do NOT induce vomiting. Rinse mouth thoroughly with water. Let water be drunken in little sips (dilution effect). Never give anything by mouth to an unconscious person or a person with cramps. Immediately call a doctor.

4.2. Most important symptoms and effects, both acute and delayed

Causes skin irritation. Causes serious eye irritation. May cause respiratory irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO2). Dry extinguishing powder. Alcohol resistant foam. Atomized water.

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

Can be released in case of fire: Carbon monoxide (CO). Carbon dioxide (CO2). Nitrogen oxides (NOx). Hydrocyanic acid (hydrocyanic acid).

5.3. Advice for firefighters

In case of fire and/or explosion do not breathe fumes. In case of fire: Wear self-contained breathing apparatus.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Co-ordinate fire-fighting measures to the fire surroundings.

SECTION 6: Accidental release measures



according to UK REACH Regulation

Page 4 of 12

Revision date: 06.03.2023

VBC 4M80

Print date: 13.03.2023

6.1. Personal precautions, protective equipment and emergency procedures

General advice

See protective measures under point 7 and 8.

For non-emergency personnel

Personal protection equipment: see section 8

For emergency responders

No special measures are necessary.

6.2. Environmental precautions

Discharge into the environment must be avoided.

6.3. Methods and material for containment and cleaning up

For containment

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

Treat the recovered material as prescribed in the section on waste disposal.

For cleaning up

Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Wear suitable protective clothing. See section 8.

Advice on protection against fire and explosion

Usual measures for fire prevention.

Advice on general occupational hygiene

Always close containers tightly after the removal of product. Do not eat, drink, smoke or sneeze at the workplace. Wash hands before breaks and after work.

Further information on handling

General protection and hygiene measures: refer to chapter 8

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place.

Hints on joint storage

Do not store together with: Explosives. Oxidizing solids. Oxidizing liquids. Radioactive substances. Infectious substances. Food and animal feedingstuff.

Further information on storage conditions

Keep the packing dry and well sealed to prevent contamination and absorbtion of humidity.

Recommended storage temperature: 20 °C

Protect against: frost. UV-radiation/sunlight. heat. Humidity

Do not store at temperatures over: 60 °C Container should not be closed gas-tight.

7.3. Specific end use(s)



according to UK REACH Regulation

Page 5 of 12

Revision date: 06.03.2023

VBC 4M80

Print date: 13.03.2023

See section 1.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

| CAS No | Substance | ppm | mg/m³ | fibres/ml | Category | Origin |
|-----------|---------------------|-----|-------|-----------|---------------|--------|
| 7085-85-0 | Ethyl cyanoacrylate | 0.3 | 1.5 | | STEL (15 min) | WEL |
| 123-31-9 | Hydroquinone | - | 0.5 | | TWA (8 h) | WEL |

DNEL/DMEL values

| CAS No | Substance | | | | | |
|---------------------------------|-----------|----------------|----------|------------|--|--|
| DNEL type | | Exposure route | Effect | Value | | |
| 7085-85-0 ethyl 2-cyanoacrylate | | | | | | |
| Worker DNEL, long-term | | inhalation | systemic | 9,25 mg/m³ | | |
| Worker DNEL, long-term | | inhalation | local | 9,25 mg/m³ | | |
| Consumer DNEL, long-term | | inhalation | systemic | 9,25 mg/m³ | | |
| Consumer DNEL, long-term | | inhalation | local | 9,25 mg/m³ | | |

Additional advice on limit values

To date, no national critical limit values exist.

8.2. Exposure controls







Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation should be used if possible. If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means.

Individual protection measures, such as personal protective equipment

Eye/face protection

Wear safety glasses; chemical goggles (if splashing is possible). BS/EN 166

Hand protection

Wear suitable gloves.

Suitable material:

FKM (fluororubber). - Thickness of glove material: 0,4 mm

Breakthrough time >= 8 h

Butyl rubber. - Thickness of glove material: 0,5 mm

Breakthrough time >= 8 h

CR (polychloroprenes, Chloroprene rubber). - Thickness of glove material: 0,5 mm

Breakthrough time >= 8 h

NBR (Nitrile rubber). - Thickness of glove material: 0,35 mm

Breakthrough time >= 8 h

PVC (Polyvinyl chloride). - Thickness of glove material: 0,5 mm

Breakthrough time >= 8 h



according to UK REACH Regulation

Page 6 of 12

Print date: 13.03.2023 Revision date: 06.03.2023

VBC 4M80

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

The selected protective gloves have to satisfy the specifications of the Personal Protective Equipment at Work (Amendment) Regulations 2022 and the standard EN ISO 374.

Check leak tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well.

Skin protection

Suitable protective clothing: Lab apron.

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500 (D).

Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required.

Respiratory protection necessary at:

Exceeding exposure limit values

Insufficient ventilation

Generation/formation of aerosols

Suitable respiratory protection apparatus: Combination filtering device (EN 14387) - Type: ABEK-P2/3

The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus

must be used.

Environmental exposure controls

Do not allow uncontrolled discharge of product into the environment. This material and its container must be disposed of in a safe way.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: liquid
Colour: colourless
Odour: characteristic
Odour threshold: not determined

Melting point/freezing point:

Boiling point or initial boiling point and

150 °C

boiling range:

Flammability: not determined Lower explosion limits: not determined Upper explosion limits: not determined Flash point: 87 °C 500 °C Auto-ignition temperature: Decomposition temperature: not determined pH-Value: not determined Viscosity / kinematic: not determined Water solubility: practically insoluble

Solubility in other solvents

Acetone

Dissolution rate: not relevant
Partition coefficient n-octanol/water: SECTION 12: Ecological information
Dispersion stability: not relevant
Vapour pressure: not determined



according to UK REACH Regulation Page 7 of 12

Print date: 13.03.2023 Revision date: 06.03.2023

VBC 4M80

Density: 1,05 g/cm³
Bulk density: not determined
Relative vapour density: not determined
Particle characteristics: not relevant

9.2. Other information

Information with regard to physical hazard classes

Explosive properties

none

Sustaining combustion: No data available

Self-ignition temperature

Gas: not determined

Oxidizing properties

none

Other safety characteristics

Evaporation rate: not determined Solvent separation test: not determined Solvent content: not determined Solid content: not determined Sublimation point: not determined Softening point: not determined Pour point: not determined Viscosity / dynamic: not determined Flow time: not determined

Further Information

No information available.

SECTION 10: Stability and reactivity

10.1. Reactivity

No information available.

10.2. Chemical stability

The mixture is chemically stable under recommended conditions of storage, use and temperature.

Decomposition temperature: 75°C

10.3. Possibility of hazardous reactions

Reacts with: Oxidizing agents, strong. Strong acid. Water. - Polymerization.

10.4. Conditions to avoid

Protect against: Light. UV-radiation/sunlight. heat. Cold Moisture.

10.5. Incompatible materials

Materials to avoid: Oxidizing agents, strong. Strong acid. Water.

10.6. Hazardous decomposition products

Does not decompose when used for intended uses.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

 Revision No: 4,0
 GB - en
 Print date: 13.03.2023



according to UK REACH Regulation

Page 8 of 12

Revision date: 06.03.2023

VBC 4M80

Print date: 13.03.2023

Toxicocinetics, metabolism and distribution

No data available.

Acute toxicity

Based on available data, the classification criteria are not met.

| CAS No | Chemical name | | | | |
|-----------|--|--------------------|-----------|--------------|--------|
| | Exposure route | Dose | Species | Source | Method |
| 7085-85-0 | ethyl 2-cyanoacrylate | | | | |
| | oral | LD50 >500 mg/kg | 00 Rat | ECHA Dossier | |
| | dermal | LD50 >200 mg/kg | 00 Rabbit | ECHA Dossier | |
| 123-31-9 | 1,4-dihydroxybenzene; hydroquinone; quinol | | | | |
| | oral | LD50 302 mg/kg | Rat | IUCLID | |

Irritation and corrosivity

Causes skin irritation.

Causes serious eye irritation.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

ethyl 2-cyanoacrylate (CAS No. 7085-85-0):

In-vitro mutagenicity: Method:

OECD Guideline 473 (In Vitro Mammalian Chromosomal Aberration Test)

OECD Guideline 476 (In Vitro Mammalian Cell Gene Mutation Test)

Result: negative.

Literature information: ECHA dossier

STOT-single exposure

May cause respiratory irritation. (ethyl 2-cyanoacrylate)

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Specific effects in experiment on an animal

No data available.

11.2. Information on other hazards

Endocrine disrupting properties

This product does not contain a substance (> 0.1 %) that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

Other information

No data available.

SECTION 12: Ecological information



according to UK REACH Regulation

Page 9 of 12

Revision date: 06.03.2023

VBC 4M80

12.1. Toxicity

Print date: 13.03.2023

The product has not been tested.

12.2. Persistence and degradability

The product has not been tested.

12.3. Bioaccumulative potential

Partition coefficient n-octanol/water

| CAS No | Chemical name | Log Pow |
|-----------|-----------------------|---------|
| 7085-85-0 | ethyl 2-cyanoacrylate | 0,78 |

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

The aforementioned statement applies to substances contained in the product with a minimum content of 0.1 %.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

The aforementioned statement applies to substances contained in the product with a minimum content of 0.1 %

12.7. Other adverse effects

No data available.

Further information

Do not allow to enter into surface water or drains.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Observe in addition any national regulations! Consult the local waste disposal expert about waste disposal. Non-contaminated packages may be recycled.

According to (EWC) European Waste Catalogue, allocation of waste identity numbers/waste descriptions must be carried out in a specific way for every industry and process. Control report for waste code/ waste marking according to (EWC) European Waste Catalogue:

List of Wastes Code - residues/unused products

080409 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF

COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products); waste adhesives and sealants containing organic solvents or other hazardous substances;

hazardous waste

List of Wastes Code - used product

080409 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF

COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products); waste adhesives and sealants containing organic solvents or other hazardous substances;

hazardous waste



according to UK REACH Regulation

Page 10 of 12

Print date: 13.03.2023 Revision date: 06.03.2023

VBC 4M80

List of Wastes Code - contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND

PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by

hazardous substances; hazardous waste

Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number:No dangerous good in sense of these transport regulations.14.2. UN proper shipping name:No dangerous good in sense of these transport regulations.14.3. Transport hazard class(es):No dangerous good in sense of these transport regulations.14.4. Packing group:No dangerous good in sense of these transport regulations.

Inland waterways transport (ADN)

14.1. UN number or ID number:No dangerous good in sense of these transport regulations.14.2. UN proper shipping name:No dangerous good in sense of these transport regulations.14.3. Transport hazard class(es):No dangerous good in sense of these transport regulations.14.4. Packing group:No dangerous good in sense of these transport regulations.

Marine transport (IMDG)

14.1. UN number or ID number:
 14.2. UN proper shipping name:
 14.3. Transport hazard class(es):
 No dangerous good in sense of these transport regulations.
 No dangerous good in sense of these transport regulations.
 No dangerous good in sense of these transport regulations.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number:No dangerous good in sense of these transport regulations.14.2. UN proper shipping name:No dangerous good in sense of these transport regulations.14.3. Transport hazard class(es):No dangerous good in sense of these transport regulations.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

Refer to section 6 - 8

14.7. Maritime transport in bulk according to IMO instruments

not relevant

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75

2010/75/EU (VOC): No information available. 2004/42/EC (VOC): No information available.

Information according to 2012/18/EU Not subject to 2012/18/EU (SEVESO III)

(SEVESO III):

Additional information



according to UK REACH Regulation

Page 11 of 12

Print date: 13.03.2023 Revision date: 06.03.2023

VBC 4M80

Safety Data Sheet according to UK-REACH Regulation

The mixture is classified as hazardous according to GHS (GB CLP).

UK REACH Appendix XVII, No (mixture): 3

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC).

Water hazard class (D): 1 - slightly hazardous to water

Additional information

Ingestion: May cause irritation of the mout, nose and throat. Skin: harmful. Inhalation: harmful. Eye contact: may be irritating to the eyes. Classification according to directive 67/548/EEC or 1999/45/EC: Xn. F.

R10-20/21-66

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

Rev 1,0, 18.08.2015, Initial release

Rev 2,0, 07.05.2018, Changes in chapter: 1 - 16

Rev 3,0, 20.10.2021, Changes in chapter: 2 - 16

Rev 4,0; 06.03.2023, Changes in chapter: 1 - 16

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement

concerning the International Carriage of Dangerous Goods by Road)

CAS: Chemical Abstracts Service

CLP: Classification, Labeling, Packaging

DNEL: Derived No Effect Level

d: day(s)

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

ECHA: European Chemicals Agency

ECOSAR: Ecological Structure Activity Relationships

EWC: European Waste Catalogue

IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

IUCLID: International Uniform ChemicaL Information Database

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany)

OECD: Organisation for Economic Co-operation and Development

PNEC: Predicted No Effect Concentration PBT: Persistent, bio-cumulative, toxic

QSAR: Quantitative Structure-Activity Relationship

RID: Regulation Concerning the International Transport of Dangerous Goods by Rail

RTECS: Registry of Toxic Effects of Chemical Substances

SVHC: Substance of Very High Concern



according to UK REACH Regulation

Page 12 of 12

Print date: 13.03.2023 Revision date: 06.03.2023

VBC 4M80

TRGS: Technische Regeln für Gefahrstoffe

UN: United Nations

UVCB: Chemical Substances of Unknown or Variable Composition, Complex Reaction Products and Biological

Materials

vPvB: very persistent and very bio-cumulative

VOC: Volatile Organic Compounds

w: week(s)

Classification for mixtures and used evaluation method according to GB CLP Regulation

| Classification | Classification procedure |
|---------------------|--------------------------|
| Skin Irrit. 2; H315 | Calculation method |
| Eye Irrit. 2; H319 | Calculation method |
| STOT SE 3; H335 | Calculation method |

Relevant H and EUH statements (number and full text)

| H302 | Harmful if swallowed. |
|------|---------------------------------------|
| H315 | Causes skin irritation. |
| H317 | May cause an allergic skin reaction. |
| H318 | Causes serious eye damage. |
| H319 | Causes serious eye irritation. |
| H335 | May cause respiratory irritation. |
| H341 | Suspected of causing genetic defects. |
| H351 | Suspected of causing cancer. |
| H400 | Very toxic to aquatic life. |
| | |

EUH202 Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the reach of

children.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)